



INDEX

INTRODUCTION

02 OUR STORY

04 CUSTOM FIREPLACES

INDOOR COLLECTION

06 AUTOMATIC BEV® FIREPLACES

34 WATER VAPOUR & ELECTRIC FIREPLACES

44 GAS FIREPLACES

OUTDOOR COLLECTION

50 AUTOMATIC BEV® FIREPLACES

58 GAS FIREPLACES

82 COMMERCE® FIREPLACES





ourstory

Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

~This made it possible to give you truly unique solutions in fire design.

Planika


CUSTOM FIREPLACES

SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.


COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.



TECHNOLOGY


Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.



CUSTOM FIREPLACES


SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.



DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.



PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.



AUTOMATIC

BEV[®] FIREPLACES

INDOOR COLLECTION




Fire Line Automatic
BEV® Burner
Design by Porada

BEV[®] TECHNOLOGY

GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV[®] technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV[®] technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE



WITHOUT CHIMNEY




NO SMELL,
NO SOOT, NO ASH



NO CONTACT BETWEEN
FUEL AND FIRE



CONTROLLED BY
MOBILE APP OR A REMOTE




AUTOMATIC REFUELLING



SAFETY SENSORS



REAL FIRE



EASY INSTALLATION

HOW DOES THE BEV[®] TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

NET ZERO[®]

CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV[®] technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO₂ - neutral fireplaces of the future.

WHAT IS FANOLA FUEL?



- ✓ 96% ethanol concentration
- ✓ odourless and clean combustion
- ✓ plant-origin distillate
- ✓ particulate-free
- ✓ multi-distilled
- ✓ pharmaceutical quality
- ✓ natural, golden flame

HOW ARE PLANIKA'S BEV[®] FIREPLACES CO₂ NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV[®] Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and the most natural fire. The clean burning of ethanol vapours emits only a small amount of CO₂ – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



WORK WITH PROFFESIONALS



TECHNICAL TRAININGS



ARCHITECT ZONE WITH
3D MODELS




PROJECT SUPPORT

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)


FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- CO₂ sensor
- Top finish:
 - Black powder coating (standard)
 - Stainless steel (optional)
 - RAL colour (optional)

FIRE LINE AUTOMATIC 4+ (FLA4+ BURNER)




OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



ARRANGEMENT OPTIONS



Arrangements that require frame with glass screens

	FLA4 / FLA4+						
	590 mm	790 mm	990 mm	1190 mm	1490 mm	1990 mm	2490 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
	3.1 L / 9.6 L	4.3 L / 13.4 L	5.5 L / 17.2 L	6.8 L / 21.0 L	8.6 L / 26.8 L	11.7 L / 36.3 L	14.8 L / 45.9 L
	max. 5.0 h / 16.0 h	max. 8.0 h / 25.0 h	max. 8.0 h / 26.0 h	max. 9.0 h / 30.0 h	max. 9.0 h / 30.0 h	max. 10.0 h / 31.0 h	max. 10.0 h / 31.0 h
	min. 31 m ³	min. 44 m ³	min. 70 m ³	min. 94 m ³	min. 130 m ³	min. 180 m ³	min. 225 m ³
	19.9 kg / 22.4 kg	24.1 kg / 32.0 kg	27.5 kg / 38.5 kg	33.0 kg / 44.0 kg	39.5 kg / 52.5 kg	49.5 kg / 67.5 kg	58.5 kg / 81.5 kg
	230 V						



Fire Line Automatic
BEV® Burner



Fire Line Automatic
BEV® Burner
Design by Iris

FIRST OF ITS KIND FIREPLACE ON A YACHT



Fire Line Automatic
BEV® Burner
Design by **Mondomarine**
Serenity yacht





INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (*Net Zero® fireplace with BEV® Technology*)

FORMA FIREPLACE (*with FLA4 / FLA4+ burner*)



FEATURES

- FLA4/FLA4+ technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 7 lengths and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

ARRANGEMENT OPTIONS



	FORMA FIREPLACE WITH FLA4 / FLA4+ BURNER						
	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm	BURNER 1490 mm FIREPLACE 1800 mm	BURNER 1990 mm FIREPLACE 2300 mm	BURNER 2490 mm FIREPLACE 2700 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
	FLA4 3.1 L FLA4+ 9.6 L	FLA4 4.3 L FLA4+ 13.4 L	FLA4 5.5 L FLA4+ 17.2 L	FLA4 6.8 L FLA4+ 21.0 L	FLA4 8.6 L FLA4+ 26.8 L	FLA4 11.7 L FLA4+ 36.3 L	FLA4 14.8 L FLA4+ 45.9 L
	FLA4 max. 5.0 h FLA4+ max. 16.0 h	FLA4 max. 8.0 h FLA4+ max. 25.0 h	FLA4 max. 8.0 h FLA4+ max. 26.0 h	FLA4 max. 9.0 h FLA4+ max. 30.0 h	FLA4 max. 9.0 h FLA4+ max. 30.0 h	FLA4 max. 10.0 h FLA4+ max. 31.0 h	FLA4 max. 10.0 h FLA4+ max. 31.0 h
	min. 31 m ³	min. 44 m ³	min. 70 m ³	min. 94 m ³	min. 130 m ³	min. 180 m ³	min. 225 m ³
	230 V						



Fire Line Automatic
BEV® Burner
Design by Ellemore Huang Shan

Fire Line Automatic
Park Hyatt Auckland
Conran&Partners



Fire Line Automatic
BEV® Burner
Design by Azovski + Pahamova



Fire Line Automatic

BEV® burner

Design by Sylwia Szcześniak Mariposa Studio Architektury


Published in Elle Decoration Polska



INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

PANORAMA FIREPLACE



FEATURES

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- CO₂ sensor
- Finish: black powder coating
- Smart Home System compatible

OPTIONAL ACCESSORIES

- Decorative ceramic logs / white stones with glowing fibers
- Smart Home System module

ARRANGEMENT OPTIONS



	PANORAMA
	BURNER 990 mm
	max. 7.0 kW
	5.5 L
	max. 10.0 h
	min. 70 m ³
	230 V



INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (*Net Zero® fireplace with BEV® Technology*)

COMET BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Top finish: black powder coating
- Smart Home System compatible
- Custom Pillar housing

OPTIONAL ACCESSORIES

- Smart Home System module

PILLAR (with Comet burner)



COMET BURNER / PILLAR	
	max. 6,6 kW
	8,8 L
	max. 17 h
	min. 66 m ³
	230 V

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (*Net Zero® fireplace with BEV® Technology*)

UFO FREESTANDING (*with FLA4 990 burner*)



UFO SUSPENDED (*with FLA4 990 burner*)



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Smart Home System compatible
- Suspended or freestanding options

OPTIONAL ACCESSORIES

- Smart Home System module
- Trays with logs or stones

	UFO
	max. 7.0 kW
	5.5 L
	max. 8.0 h
	min. 70 m ³
	230 V

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

STONE CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Smart Home System compatible
- CO₂ sensor

OPTIONAL ACCESSORIES

- Smart Home System module
- Decorative ceramic logs and glowing fibers

AVAILABLE FINISHING VARIANTS

- 3 finish options with  **DEKTON**® by Cosentino: Kreta/Laurent/Daze
- Stone Core for custom-built housing

STONE KRETA / LAURENT / DAZE



STONE CORE / KRETA / LAURENT / DAZE	
	max. 5 kW
	13,4 L
	max. 29 h
	min. 50 m ³
	230 V



Stone Daze
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (*Net Zero®* fireplace with BEV® Technology)

ROCK CORE



FEATURES

- Easy refilling - replaceable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- CO₂ sensor

OPTIONAL ACCESSORIES

- Decorative ceramic logs and glowing fibers

AVAILABLE FINISHING VARIANTS

- 3 finish options with  **DEKTON®** by Cosentino: Kreta/Laurent/Daze
- Rock Stone Core for custom-built housing

ROCK KRETA / LAURENT / DAZE



ROCK CORE / KRETA / LAURENT / DAZE	
	max. 3.5 kW
	5 L
	max. 33 h
	min. 35 m³
	230 V




Rock Kreta
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (*Net Zero® fireplace with BEV® Technology*)

PRIME FIRE 2.0 BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 3 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatible
- CO₂ sensor

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements
- Smart Home System module



ARRANGEMENT OPTIONS

Arrangements that require frame with glass screens



SINGLE-SIDED



LEFT / RIGHT CORNER



THREE-SIDED



AGAINST THE WALL



FREESTANDING



ROOM DIVIDER




TUNNEL



ISLAND

	PRIME FIRE			
	590 mm	790 mm	990 mm	1190 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
	3.1 L	4.3 L	5.5 L	6.8 L
	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h
	min. 31 m ³	min. 44 m ³	min. 70 m ³	min. 94 m ³
	19.9 kg	24.1 kg	27.5 kg	33.0 kg
	230 V			



Prime Fire
BEV® Burner
Project 上海陆家嘴 滨江凯旋门
Design by 上海观安设计
The designer 李曾娜



Prime Fire
BEV® Burner
House CC- Elegant Lifestyle
design by: AIO Grafic RO

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (*Net Zero® fireplace with BEV® Technology*)

FORMA FIREPLACE (*with Prime Fire 2.0 burner*)



FEATURES

- Prime Fire 2.0 technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 lengths and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES

- Decorative tray with ceramic logs or white stones
- Smart Home System module

ARRANGEMENT OPTIONS



SINGLE-SIDED



LEFT CORNER



RIGHT CORNER



THREE-SIDED



TUNNEL



ROOM DIVIDER



ISLAND

FORMA FIREPLACE WITH PRIME FIRE 2.0 BURNER				
	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
	3.1 L	4.3 L	5.5 L	PF 6.8 L
	max. 6.0 h	max. 9.0 h	max. 10.0 h	max. 11.0 h
	min. 31 m ³	min. 44 m ³	min. 70 m ³	min. 94 m ³
	230 V			

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (*Net Zero® fireplace with BEV® Technology*)


VERTICAL (*with Neo 500 burner*)



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Glass enclosed
- Logs set included

BASKET FIRE LOGS



FEATURES

- Automatic refilling system
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES


- Decorative grate

	BASKET FIRE LOGS	VERTICAL
	max. 2.8 kW	max. 3.1 kW
	1.75 L	1.7 L
	max. 6.5 h	max. 5 h
	min. 28 m ³	min. 31 m ³
	230 V	230 V

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (*Net Zero® fireplace with BEV® Technology*)

NEO BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor

OPTIONAL ACCESSORIES

- Tray with decorative logs and glowing fibers

NEO FIREPLACE



FEATURES

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor

DETACHABLE SIDE PANELS



OPTIONAL ACCESSORIES

- Tray with decorative logs and glowing fibers

	NEO BURNER 500 / 750 / 1000	NEO FIREPLACE 500 / 750 / 1000
	3.1 / 4.1 / 5.9 kW	3.1 / 4.1 / 5.9 kW
	1.7 / 2.1 / 2.9 L	1.7 / 2.1 / 2.9 L
	5 / 6 / 4 h	5 / 6 / 4 h
	min. 31 / 41 / 59 m ³	min. 31 / 41 / 59 m ³
	230 V	

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

RETRO (with Neo 500 / 1000 burner)



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor

OPTIONAL ACCESSORIES

- Tray with decorative logs and glowing fibers

COTTAGE (with Neo 500 burner)



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Tray with decorative logs and glowing fibers

	RETRO 500 / 1000	COTTAGE
	3.1 / 5.9 kW	3.1 kW
	1.7 / 2.9 L	1.7 L
	5 / 4 h	5 h
	min. 31 / 59 m ³	min. 31 m ³
	230 V	

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

POLARIS



FEATURES

- Removable fuel tank
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

SCANDI



FEATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- CO₂ sensor
- Finish: black powder coating

OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

	POLARIS	SCANDI
	max. 3.5 kW	max. 4.1 kW
	5.0 L	5.0 L
	max. 33 h	max. 33 h
	min. 35 m ³	min. 41 m ³
	36.5 kg	62.0 kg
	230 V	



WATER VAPOUR & FIREPLACES

INDOOR COLLECTION





ELECTRIC


OPTIMYST® TECHNOLOGY

DISCOVER WATER VAPOUR TECHNOLOGY FOR FIREPLACES

Optimyst technology is an advanced system that creates a highly realistic flame effect using water vapour. It offers a safe, energy-efficient, and eco-friendly alternative to traditional fireplaces, providing the ambiance of fire without actual combustion.

HOW DOES IT WORK?

An ultrasonic device produces mist, which is illuminated by the ActiveLED system, simulating real flames. Spectral lenses scatter light allowing for a full spectrum of flame colors and changes in their intensity. Multidimensional steam lighting gives a realistic flame effect, perfectly complementing any interior.



WHY WATER VAPOUR FIREPLACES?



EASY INSTALLATION
WITH NO CHIMNEY



SAFE TOUCH




ADJUSTABLE FLAME COLORS
(RGB PALETTE)




CONTROLLED BY
MOBILE APP OR A REMOTE



SOUND OF CRACKLING
WOOD



IMPROVES AIR QUALITY



UP TO 10M
FLAMELINE



ECO-FRIENDLY




Cool Flame 1000 Fireplace
Water vapour Fireplace

INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME INSERT



FEATURES

- Removable water tank - easy refilling
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Finish: black powder coating
- Technical glass
- Aromatherapy set

OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

COOL FLAME PRO INSERT



FEATURES

- Permanent water connection - no need for refilling
- Water filter
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Technical glass
- Aromatherapy set

OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting


	COOL FLAME 500/1000/1500/2000 INSERT	COOL FLAME PRO 500/1000//1500/2000 INSERT
	1.2 L / 2.4 L / 3.6 L / 4.8 L	Permanent water connection
	max. 12 h	limitless
	8 kg / 14.5 kg / 25 kg / 30 kg	9 kg / 15 kg / 25.5 kg / 30.5 kg
	230 V	



INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME / COOL FLAME PRO FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 4 installation options:




Single-sided Left/Right corner Three-sided

OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

COOL FLAME / COOL FLAME PRO SEE-THROUGH FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 3 installation options:



Tunnel Room divider Island

OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

	COOL FLAME 500/1000 FIREPLACE	COOL FLAME PRO 500/1000 FIREPLACE
	1.2 L / 2.4 L	Permanent water connection
	max. 12 h	limitless
	25 kg / 37 kg	26 kg / 28 kg
	230 V	

INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

AI (with Cool Flame insert)



FEATURES

- Features of Cool Flame
- Dedicated casing

OPTIONAL ACCESSORIES

- Decorative logs set

AURA (with Cool Flame 500 insert)




FEATURES

- Features of Cool Flame
- Dedicated casing
- Glass panels on sides (open front)
- Decorative logs set included

	AI 500/1000	AURA
	1.2 L / 2.4 L	1.2 L
	max. 12 h	max. 12 h
	230 V	

INDOOR ELECTRIC FIRES

ASTRO FIREPLACE



FEATURES

- Remote control
- Wall switch panel
- LED colour adjustment
- Multizone LED
- 2 level heating
- 2 Side Panels included
- Resin Logs and Vivid Crystals
- Thermostat
- Auto-off timer


OPTIONAL ACCESSORIES



DETACHABLE SIDE PANELS (INCLUDED IN SET)



INSTALLATION OPTIONS



	ASTRO			
	850 mm	1200 mm	1500 mm	1800 mm
	42.0 kg	59.0 kg	72.5 kg	85.0 kg
	Two-stage heating power: 1500 W & 3000 W			
	230 V			



Astro
Electric Fireplace



Astro
Electric Fireplace

GAS FIREPLACES

INDOOR COLLECTION






Sinatra
Gas Fireplace

INDOOR GAS FIRES

LINEAR GAS FIREPLACE (Conventional Flue System)

SINATRA FIREPLACE



FEATURES

- NG or LPG gas
- Remote control
- Smart Home System compatible
- Back wall finish:
-Black matte steel
- Decorative accessories:
-Black vermiculite (included)
- Ceramic glass

OPTIONAL ACCESSORIES

- Custom length and shape
- Wi-Fi module

OPTIONAL ACCESSORIES



ARRANGEMENT OPTIONS



SINGLE-SIDED



LEFT CORNER



RIGHT CORNER



THREE-SIDED



TUNNEL



ROOM-DIVIDER



ISLAND

	SINATRA			
	1200 mm	1600 mm	2000 mm	2400 mm
	(NG) max. 10.3 kW (LPG) max. 9.5 kW	(NG) max. 15.0 kW (LPG) max. 14.3 kW	(NG) max. 19.7 kW (LPG) max. 19.0 kW	(NG) max. 19.8 kW (LPG) max. 20.0 kW
	(NG) max. 1.09 m³/h (LPG) max. 0.75 kg/h	(NG) max. 1.58 m³/h (LPG) max. 1.12 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.50 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.57 kg/h
	Conventional			
	230 V			

* Antireflective glass available only for 1200, 1600 and 2000 length



Sinatra
Gas Fireplace



Sinatra
Gas Fireplace



Sinatra
Gas Fireplace



Sinatra
Gas Fireplace

AUTOMATIC BEV[®] FIREPLACES

OUTDOOR COLLECTION






Cabo Table Kreta
BEV® Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



CABO BURNER




FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

- Protective fabric cover

CABO KRETA / LAURENT / DAZE



FEATURES

- Cabo burner technical features
- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES

- Protective fabric cover

CABO BURNER / KRETA / LAURENT / DAZE	
	max. 9.4 kW
	5 L
	max. 8 h
	min. 94 m³ (if used indoors)
	230 V



Cabo Table Daze
BEV® Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)

CABO TABLE LAURENT / KRETA / DAZE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

- Protective fabric cover

AVAILABLE FINISHING VARIANTS

- 3 finish options with  **DEKTON®** by Cosentino:
Laurent/Daze/Kreta

CABO TABLE LAURENT / KRETA / DAZE	
	max. 9.4 kW
	10.5 L
	max. 15 h
	min. 94 m³
	230 V



Cabo Laurent
BEV® Fireplace



Cabo Table Daze
BEV® Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)

PORTO CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable - includes wheels

OPTIONAL ACCESSORIES

- Protective fabric cover

PORTO KRETA / LAURENT / DAZE



FEATURES

- Porto core technical features
- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES

- Protective fabric cover

PORTO CORE / KRETA / LAURENT / DAZE	
	max. 3.7 kW
	5 L
	max. 14 h
	min. 37 m³ (if used indoors)
	230 V



Porto Daze
BEV® Fireplace



Porto Laurent
BEV® Outdoor Fireplace

GAS

FIREPLACES

OUTDOOR COLLECTION






Galio Star Black
Gas outdoor fires

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

GALAXY 1150 / 2000 BURNER



FEATURES

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or
Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

GALAXY DAZE / LAURENT / KRETA



FEATURES

- Galaxy burner technical features
- 3 finish options with **DEKTON**® by
Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	GALAXY 1150 BURNER / DAZE / LAURENT / KRETA	GALAXY 2000 BURNER
	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar



Galaxy Laurent
Outdoor Gas Fireplace




Galaxy Daze
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

GALAXY TABLE LAURENT / KRETA / DAZE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Laurent/Kreta/Daze

PIVOT LAURENT / KRETA / DAZE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	GALAXY TABLE LAURENT / KRETA / DAZE	PIVOT LAURENT / KRETA / DAZE
	(NG) max. 10.1kW (LPG) max. 13.4kW	(LPG) max. 11.8 kW
	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar



Galaxy Table Laurent
Outdoor Gas Fireplace




Pivot Kreta
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


GALIO INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN AUTOMATIC



FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



	GALIO INSERT AUTOMATIC		GALIO BLACK / CORTEN AUTOMATIC
	1000 mm	2000 mm	1140 mm
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 16.5 kW (LPG) max. 16.5 kW	(NG) max. 9.4 kW (LPG) max. 11.8 kW
	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h	(NG) max. 1.75 m³/h (LPG) max. 1.30 kg/h	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar
	21.0 kg	33.0 kg	31.0 kg



Galio Insert
Outdoor Gas Fireplace




Galio Insert
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


GALIO INSERT MANUAL



FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation


GALIO BLACK / CORTEN MANUAL



FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL	
	(NG) max. 13.6 kW (LPG) max. 11.8 kW
	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar
	13.0 kg / 31.0 kg



Galio Corten
Outdoor Gas Fireplace



Galio Black
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

GALIO STAR INSERT AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install

GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel


OPTIONAL ACCESSORIES



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
	(NG) max. 16.4 kW (LPG) max. 17.3 kW	
	(NG) max. 1.5 m³/h (LPG) max. 1.4 kg/h	
	(NG) 20 mbar (LPG) 37 mbar	
	17.0 kg	37.0 kg



Galio Star Black Automatic
Outdoor Gas Fireplace



Galio Star Black Automatic
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

STELLA INSERT MANUAL



FEATURES

- Manual control system
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE DAZE/LAURENT/KRETA MANUAL



FEATURES

- Stella insert manual technical features
- 3 finish options with **DEKTON**® by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	STELLA INSERT MANUAL			STELLA TABLE MANUAL
	500 mm	600 mm	800 mm	954 mm
	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(LPG) max. 12.7 kW
	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(LPG) max. 0.9 kg/h
	(LPG) 37 mbar			



Stella Insert
Outdoor Gas Fireplace



Stella Table Daze
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

STELLA INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane)
or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE DAZE/LAURENT/KRETA AUTOMATIC

FEATURES

- Stella insert automatic technical features
- 3 finish options with **DEKTON**® by Cosentino: Daze/Laurent/Kreta



OPTIONAL ACCESSORIES



	STELLA INSERT AUTOMATIC			STELLA TABLE AUTOMATIC
	500 mm	600 mm	800 mm	954 mm
	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h
	(NG) 20 mbar (LPG) 37 mbar			



Stella Insert
Outdoor Gas Fireplace



Stella Table Laurent
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

OIA LAURENT / KRETA / DAZE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

AVAILABLE VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



ZOIA LAURENT / KRETA / DAZE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

AVAILABLE VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES




	OIA DAZE /LAURENT / KRETA	ZOIA DAZE /LAURENT / KRETA
	(LPG) max. 7.0 - 10.0 kW	
	(LPG) max. 0.4 - 0.5 kg/h	
	(LPG) 37 mbar	



OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*


MICO MANUAL



FEATURES

- Manual control system
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing


MICO AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane)
or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

OPTIONAL ACCESSORIES



	MICO MANUAL			MICO AUTOMATIC		
	500 mm	600 mm	800 mm	500 mm	600 mm	800 mm
	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h
	(LPG) 37 mbar			(NG) 20 mbar (LPG) 37 mbar		



Mico Insert
Outdoor Gas Fireplace



Mico Insert
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic and manual control system)*

GALIO H INSERT AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

OPTIONAL ACCESSORIES



OPTIONAL WI-FI MODULE




HOSE PROTECTOR



GAS CYLINDER CASE

FIKA



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding
- Glass panels
- Glass top plate

OPTIONAL ACCESSORIES



COVER

	GALIO H INSERT AUTOMATIC	FIKA
	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW
	(NG) max. 1.0 m ³ /h (LPG) max. 0.9 kg/h	(LPG) max. 0.50 - 0.65 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar



Galio H Insert Automatic
Outdoor Gas Burner



Fika
Outdoor Gas Burner

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic and manual control system)*


LIGHTHOUSE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



	LIGHTHOUSE
	(LPG) max. 7.0 - 10.0 kW
	(LPG) max. 0.50 - 0.65 kg/h
	(LPG) 37 mbar
	27.5 kg



Lighthouse
Gas Patio Heater

COMMERCE

FIREPLACES

OUTDOOR COLLECTION

Totem/Simple Commerce
The Address Downtown

OUTDOOR / INDOOR ETHANOL FIRES

COMMERCE TECHNOLOGY™ (Absorbent Ceramic Fibers)



TOTEM



JAR



RONDO



SIMPLE

FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

OPTIONAL ACCESSORIES



	TOTEM	JAR	RONDO	SIMPLE
	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm
	24.5 kg	41.5 kg	7.0kg	6.5 kg
	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
	3.0 L	3.0 L	3.0 L	1.5 L
	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³

Ihr Fachhändler



OFEN-MANUFAKTUR HESS UG

Würzburger Str. 29

97236 Randersacker

Tel. 0931-708848 Fax 0931-709845

www.ofenmanufaktur-hess.com

info@ofenmanufaktur-hess.de

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.